






# SENSS

## Security Service for the Internet









Jelena Mirkovic (USC/ISI), Minlan Yu (USC), Ying Zhang (HP Labs), Sivaram Ramanathan (USC)


### DDoS Attacks: Large and Powerful

- DDoS attacks are increasing in volume and frequency (new record 1.2 Tbps)
- Disproportionate power in hands of attacker
  - Attacks that bring down large, well provisioned victims often wielded by a single person or small group (Spamhouse, Dyn, OVH and Krebs)
  - No special experience or circumstance
  - Cheap for attacker, very expensive for the victim
- Enabled by large, distributed botnets
  - No single entity (centralized or distributed) can withstand this, distributed defenses a must

#### Our solution: SENSS

- Fully software solution easy to deploy
- Enables any ISP to offer automated services for DDoS diagnosis and mitigation
  - Naturally distributed, secure, robust to misbehavior
  - Works with existing ISP infrastructure (SDN, Flowspec, Netflow)
- Victim queries its own ISP or remote ISPs
  - About its inbound traffic, routes to its prefixes
  - This helps detect best points for mitigation
- Victim asks select ISPs to:
  - Filter some of its inbound traffic (victim specifies header signature)
  - Demote a route that may contain a bottleneck

#### **SENSS Modules**



#### SENSS APIs at ISPs

- Exposed as Web services
  - Leverage existing functionalities for robustness (replication),
     security (HTTPS), charging (e-commerce)

| Туре                 | Fields                    | Action/Reply                            |
|----------------------|---------------------------|---|
| Traffic query        | Flow, dir, obs_time       | List of <tag, dir,="" volume=""></tag,> |
| Traffic filter/allow | Flow, dir, tag, duration  | Deploy filter/allow actions             |
| Route query          | Prefix                    | List of best paths to prefix            |
| Route demote         | Prefix, segment, duration | Demote routes with given segment        |

- Message authentication: Proof of authority for a prefix
  - E.g., RPKI, a DB of known customers, prefixes and public keys
- TLS for communication security

### How Can You Help?

- Deploy a passive module:
  - Detector learn how often you experience DDoS or participate in it
  - Blacklist aggregator get our feed of suspicious prefixes
- Deploy an active module:
  - Server automate filter rule deployment in multiple switches
  - Client + Detector leverage your ISP's DDoS solution and trigger it automatically
- Looking for:
  - Experiences from trenches, what do you do now for DoS?
  - One-time feedback on needs, deployability, concerns
  - 1h/month ongoing feedback from ops world
  - Sites to pilot our solutions






# Contact us <a href="mailto:sunshine@isi.edu">sunshine@isi.edu</a> <a href="http://steel.isi.edu/Projects/SENSS/">http://steel.isi.edu/Projects/SENSS/</a>



Jelena Mirkovic



Minlan Yu



Ying Zhang



Sivaram Ramanathan