

Integration with ID Match API

Current progress of development

Slavek Licehammer, Pavol Mederly / February 2022

Starting point

- midPoint up to 4.4.
 - Correlate users with accounts on resources
 - Programmable correlation rules
 - Partial match not supported
 - Disputed status is hard to resolve
- ID Match API
 - API for identity matching
- COmanage Match
 - Implementation of ID Match API
 - Matching rules are defined there

Evolveum

Goals



- Integrate ID Match API with midPoint
- Use ID Match API for account correlation
- Use COmanage Match for testing the integration
- Enhance account correlation features
- Keep everything well integrated in midPoint
- Mind overall performance

Current status

- Development in progress
- First functional prototype
- Standard workflow fully supported
- Corner cases might not work yet
- GUI is the first prototype
 - Will be subject of changes in the future



Design choices



- Correlation of users instead of accounts
 - Human-friendly
 - All additional details available
- Account attributes are converted to midPoint schema
 - Easier correlation across resources
 - Human-friendly (e.g. DN vs. Username)
- Use single SoR "midPoint" in ID Match API
 - Resource identifier encoded in SoR ID attribute in ID Match API
- Solution is usable for all objects (not only users)

Technical workflow

- 1) Import (reconciliation, ...) of an account
- 2) Apply inbound mappings -> partial User object
- 3) ID Match API query
 - 1) Get back reference ID(s)
- 4) Account is "linked" or stays "disputed"
- 5) Resolving disputed state
 - 1) Resolve the case in midPoint (that will resolve it automatically in COmanage Match)
 - 2) Resolve pending match in COmanage Match and re-import (or reconcile) the account

Demo description



- Two source systems: SIS, HR (CSV files)
 - Attributes: given name, family name, date of birth, national ID
 - Subtle differences in schema
- ID Match rules
 - All attributes match -> automatic correlation (implicit)
 - National ID, date of birth and family name matches -> automatic correlation
 - National ID matches -> manual correlation
 - Date of birth, given name and family name matches -> manual correlation
 - No previous match -> new user (implicit)



(live demo is replaced by screenshots)

Correlation with single candidate account (owned by a single user)

midPoint	t	= View Correlation case 'Correlation of account '4'' 📧 🍐 administr				
SELF SERVICE	*	Correlation of accou	nt '4'			
🚯 Home						
🎍 Profile						
Credentials		Operations	Case operations			
Request a role		← Back Save Delete object	C Edit raw			
ADMINISTRATION	~					
🚯 Dashboards	<	Basic		Object being correlated	Correlation candidate 1	
💄 Users	<	O Correlation	Action	Create new	Correlate	
		O Workitems	Name		John Smith (smith2)	
Org. structure	<		Given name	John	John (lan)	
📥 Roles	<		Family name	Smith	Smith	
Services	<		Date of birth	2004-02-06	2004-02-06	
Resources	<		National ID	040206	040206/1328	
€ Cases						
Certification	<					
Server tasks	<					
🖹 Nodes	<					
Reports	<					
Configuration	~					
Archetypes	<					
▼ Object collections	<					
Object templates	<					

Matchgrid: demo

Manage

≡

COmanage Match > demo > Pending Requests > Reconcile Unresolved Request midpoint/sis-4

■ Display Reconcile Unresolved Requests

Reconcile						
Configure		New Record	Suggestion 1			
Configure	Reference ID	New	f9a13043-2d5d-4316-ad86-0196e6bbf24d			
	Action	GENERATE NEW REFERENCE ID	ASSIGN THIS REFERENCE ID			
	id	4	2			
	sor	midpoint	midpoint			
	sorid	sis-4	sis-2			
	request_time	2022-02-01 16:54:44	2022-02-01 16:54:22			
	resolution_time		2022-02-01 16:54:22			
	givenname	John	John			
	familyname	Smith	Smith			
	dateofbirth	2004-02-06	2004-02-06			
	nationalid	040206	040206/1328			



midPoint	■ View Correlation case 'Co	rrelation of account '5''	At Cases > All cases > View Correlation case 'Correlation of account '5'' 📧 🤷 administrator	
SELF SERVICE	Correlation of accou	nt '5'		Correlation case
🚯 Home				
🎍 Profile				
Credentials	Operations	Case operations		
Request a role	Gack Back Back	C Edit raw Stop process		
ADMINISTRATION				
🚯 Dashboards	Basic		Object being correlated	Correlation candidate 1
	O Correlation	Action	Create new	Correlate
	C Workitems	Name		Mary Smith (smith1)
📕 Org. structure	<	Given name	Mary	Магу
📥 Roles	<	Family name	Smith	Smith
Services	<	Date of birth	2006-04-11	2006-04-10
Resources	<	National ID	060410/1993	060410/1993
€ Cases				
	<			
Server tasks	<			
Nodes	<			
Reports	<			
Configuration 🗸				
Archetypes	<			
▼ Object collections	<			
Object templates	<			

Matchgrid: demo

Manage

≡

COmanage Match > demo > Pending Requests > Reconcile Unresolved Request midpoint/sis-5

■ Display Reconcile Unresolved Requests

Reconcile						
Configure		New Record	Suggestion 1			
Configure	Reference ID	New	cdae7a0d-f567-40f8-98d8-53910fcebe7b			
	Action	GENERATE NEW REFERENCE ID	ASSIGN THIS REFERENCE ID			
	id	5	1			
	sor	midpoint	midpoint			
	sorid	sis-5	sis-1			
	request_time	2022-02-01 17:03:08	2022-02-01 16:54:21			
	resolution_time		2022-02-01 16:54:21			
	givenname	Mary	Mary			
	familyname	Smith	Smith			
	dateofbirth	2006-04-11	2006-04-10			
	nationalid	060410/1993	060410/1993			



Correlation with two candidate accounts owned by a single user

midPoir	nt	■ View Correlation case 'Cor	relation of account '6''		AU Cases > All cases > View Correlation case 'Correlation of account '6'' 📧 🤷 administrator	
SELF SERVICE	~	Correlation of accoun	t '6'		Correlation case	
🚯 Home						
🎍 Profile						
Credentials		Operations	Case operations			
Request a role		🗲 Back 🕒 Save 📋 Delete object	C Edit raw			
ADMINISTRATION	~					
Dashboards	<	Basic		Object being correlated	Correlation candidate 1	
	- 1	O Correlation	Action	Create new	Correlate	
💄 Users	<	O Workitems	Name		John Smith (smith2)	
🧾 Org. structure	<		Given name	John	John (lan)	
📥 Roles	<		Family name	Smith	Smith	
Services	<		Date of birth	2004-02-06	2004-02-06	
Resources	<		National ID	040206/8824	040206/1328 (040206)	
€ Cases	1					
Certification	<					
Server tasks	<					
Nodes	<					
Reports	<					
Configuration	~					
Archetypes	<					
▼ Object collections	<					
🖹 Object templates	<					

🥸 COmanage 🛛

Matchgrid: demo

🔒 Manage

≡

COmanage Match > demo > Pending Requests > Reconcile Unresolved Request midpoint/sis-6

Display Reconcile Unresolved Requests

_	
	C C
	Configure

New Record		Suggestion 1	Suggestion 2	
Reference ID	New	f9a13043-2d5d-4316-ad86-0196e6bbf24d	f9a13043-2d5d-4316-ad86-0196e6bbf24d	
Action	GENERATE NEW REFERENCE ID	ASSIGN THIS REFERENCE ID	ASSIGN THIS REFERENCE ID	
id	6	2	4	
sor	midpoint	midpoint	midpoint	
sorid	sis-6	sis-2	sis-4	
request_time	2022-02-01 17:03:58	2022-02-01 16:54:22	2022-02-01 16:54:44	
resolution_time		2022-02-01 16:54:22	2022-02-01 17:03:12	
givenname	John	John	John	
familyname	Smith	Smith	Smith	
dateofbirth	2004-02-06	2004-02-06	2004-02-06	
nationalid	040206/8824	040206/1328	040206	

Correlation with three candidate accounts owned by two users

midPoir	nt	■ View Correlation case 'Corr	elation of account 'A10	003''	f) Cases > All cases > View Correlation c	ase 'Correlation of account 'A1003'' 📧 🎴 administrator
SELF SERVICE	~	Correlation of account	t 'A1003'			Correlation case
🚳 Home						
🛔 Profile						
Credentials		Operations	Case operation	IS		
Request a role		🗲 Back 🖺 Save 📋 Delete object	C Edit raw	25S		
ADMINISTRATION	~			Object being correlated	Correlation candidate 1	Completion condidate 2
🚯 Dashboards	<	Basic	Action			Correlation candidate 2
👗 Users	<	O Correlation O Workitems	Action	Create new	Correlate	Correlate
		O Workitems	Name		🛔 John Smith (smith3)	John Smith (smith2)
Org. structure	<		Given name	John	John	John (lan)
📥 Roles	<		Family name	Smith	Smith	Smith
Services	<		Date of birth	2004-02-06	2004-02-06	2004-02-06 (2004-02-26)
Resources	<		National ID	040206/2238	040206/8824	040206/1328 (040206)
다 Cases						
Certification	<					
Server tasks	<					
📰 Nodes	<					
	ì					
Reports	<					
Configuration	~					
Archetypes	<					
▼ Object collections	<					
Object templates	<					

Matchgrid: demo

📰 Display

≡

COmanage Match > demo > Pending Requests > Reconcile Unresolved Request midpoint/hr-A1003

Reconcile Unresolved Requests

Reconcile			1			
Configure		New Record	Suggestion 1	Suggestion 2	Suggestion 3	
Conngare	Reference ID	New	f9a13043-2d5d-4316-ad86-0196e6bbf24d	f9a13043-2d5d-4316-ad86-0196e6bbf24d	7946e23a-972a-4454-bdfa-bbbf902d7c02	
	Action	GENERATE NEW REFERENCE ID	ASSIGN THIS REFERENCE ID	ASSIGN THIS REFERENCE ID	ASSIGN THIS REFERENCE ID	
	id	9	2	4	6	
	sor	midpoint	midpoint	midpoint	midpoint	
	sorid	hr-A1003	sis-2	sis-4	sis-6	
	request_time	2022-02-01 17:06:10	2022-02-01 16:54:22	2022-02-01 16:54:44	2022-02-01 17:03:58	
	resolution_time		2022-02-01 16:54:22	2022-02-01 17:03:12	2022-02-01 17:04:51	
	givenname	John	John	John	John	
	familyname	Smith	Smith	Smith	Smith	
	dateofbirth	2004-02-06	2004-02-06	2004-02-06	2004-02-06	
	nationalid	040206/2238	040206/1328	040206	040206/8824	

[🔒] Manage

Correlation with two candidate accounts owned by a single user

Matched using non-primary attribute value

midPoir	nt	■ View Correlation case 'Corr	elation of account 'A1001''	भी Cases > All cases > View Correlation case 'Correlation of account 'A1001'' 📧 🎴 administrator			
SELF SERVICE	~	Correlation of account	t'A1001'		✓ Correlation case		
🚯 Home							
Profile							
Credentials		Operations	Case operations				
Request a role		🗲 Back 🖺 Save 📋 Delete object	C Edit raw				
ADMINISTRATION	~			Object being correlated	Correlation candidate 1		
🚳 Dashboards	<	BasicO Correlation	Action	Create new	Correlate		
👗 Users	<	O Workitems	Name		John Smith (smith2)		
🧾 Org. structure	<		Given name	lan	John (lan)		
📥 Roles	<		Family name	Smith	Smith		
Services	<		Date of birth	2004-02-26	2004-02-06		
Resources	<		National ID	040206/1328	040206/1328 (040206)		
€ Cases	0						
Certification	<						
Server tasks	<						
🗮 Nodes	<						
Reports	<						
Configuration	~						
Archetypes	<						
▼ Object collections	<						
Object templates	<						

END OF DEMO

- Look and feel
- Reconciliation with COmanage Match database
- Productize the current prototype
- Documentation

Evolveum

Open questions

- Would anyone use ID Match API with accounts which are not in midPoint?
- Is it OK to correlate users instead of accounts?
- Does automatic unlinking need to be supported?
- Did this demo cover all your use-cases?

Thank you for attention

If any questions occur, feel free to ask at slavek@evolveum.com

Also follow us on our social media for further information!





© 2022 Evolveum s.r.o. All rights reserved.