

cm_identifiers

Table	cm_identifiers
Description	Person identifiers

Column	Format	Description	Definition	Comments
id	integer, primary key	Row identifier	autoincrement	
identifier	varchar (256)	Identifier	As per type definition	
type	varchar (32)	Type of identifier	Arbitrary values may be configured via cm_co_extended_types (for identifiers attached to COs, only) or default values available are - eppn: eduPersonPrincipalName - eptid: eduPersonTargetedID - mail: RFC 4524 inetOrgPerson - openid: OpenID - uid: RFC 4519 uidObject (previously <i>userid</i>)	<i>mail</i> is intended for CO generated mail aliases/addresses to be stored, regardless of whether or not they are in use. Email addresses intended to be reflected into directories or other downstream locations should be stored in the email_addresses table.
login	boolean	Registry login flag	- true: This identifier can be used to login to Registry - false: This identifier cannot be used to login to Registry	Only applies to identifiers attached to Org Identities.
status	varchar(2)	Identifier's status	- A: Active - S: Suspended	An identifier marked deleted is no longer considered in use by COnmanage, but it cannot be reassigned. Prior to v2.0.0, the status D/Deleted was used instead of S/Suspended.
co_person_id	integer, foreign key	CO Person Record ID	cm_co_people :id	Only one of co_person_id, org_identity_id, co_group_id, or co_department_id may be specified
org_identity_id	integer, foreign key	Org Identity Record ID	cm_org_identities :id	Only one of co_person_id, org_identity_id, co_group_id, or co_department_id may be specified
co_department_id	integer, foreign key	CO Department Record ID	cm_co_departments :id	Only one of co_person_id, org_identity_id, co_group_id, or co_department_id may be specified. Added in Registry v3.1.0.
co_group_id	integer, foreign key	CO Group Record ID	cm_co_groups :id	Only one of co_person_id, org_identity_id, co_group_id, or co_department_id may be specified. Added in Registry v3.3.0.
source_identifier_id	integer, foreign key	If Pipelines are in use, the Identifier ID for the Org Identity Identifier that created this record.	cm_identifiers :id	Added in Registry v2.0.0.
co_provisioning_target_id	integer, foreign key	CO Provisioning Target ID	cm_co_provisioning_targets :id	ie: The Provisioning Target that assigned (and is responsible for managing) this Identifier. Added in Registry v3.1.0.