

cm_addresses

Table	cm_addresses
Description	Addresses

Column	Format	Description	Definition	Comments
id	integer, primary key	Row identifier	autoincrement	
street	varchar (400)	Street	X.520 via RFC 4519 organizationalPerson	
room	varchar (64)	Room	X.520 via RFC 4519 organizationalPerson	
locality	varchar (128)	Locality (eg: city)	X.520 via RFC 4519 organizationalPerson	
state	varchar (128)	State or Province	X.520 via RFC 4519 organizationalPerson	
postal_code	varchar (16)	Postal Code	X.520 via RFC 4519 organizationalPerson	
country	varchar (128)	Country	X.521 via RFC 4519 country	
description	varchar (128)	Description		Added in Registry v3.1.0.
type	varchar(2)	Type of mail, as enumerated		When attached to a CO Person, types may be configured on a per-CO basis. See Extending the Registry Data Model .
language	varchar (16)	Language encoding of this address	RFC 5646	For supported values, see lang.php
co_person_role_id	integer, foreign key	CO Person Record ID	cm_co_person_roles : id	Only one of co_person_id, org_identity_id, or co_department_id may be specified
org_identity_id	integer, foreign key	Org Identity Record ID	cm_org_identities : id	Only one of co_person_id, org_identity_id, or co_department_id may be specified
co_department_id	integer, foreign key	CO Department Record ID	cm_co_departments : id	Only one of co_person_id, org_identity_id, or co_department_id may be specified. Added in Registry v3.1.0.
source_address_id	integer, foreign key	If Pipelines are in use, the Address ID for the Org Identity Address that created this record.	cm_addresses : id	Added in Registry v2.0.0.